

RECEIVED
CENTRAL FAX CENTER
DEC 21 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (currently amended). An ultraviolet curable, water-based coating composition comprising one or more polyurethane dispersions, one or more non-reactive silicone resin emulsions and one or more photoinitiators.
2. (previously presented). The coating composition of claim 1, wherein at least one of the one or more photoinitiators comprises an oligomeric hydroxy ketone emulsion photoinitiator.
3. (previously presented). The coating composition of claim 1, further comprising at least one ultraviolet stabilizer, ultraviolet absorber or mixtures thereof.
4. (previously presented). The coating composition of claim 1, further comprising one or more of the group consisting of wetting agents, carbon black, nylon and reactive wax.
5. (previously presented). The coating composition of claim 1, wherein the weight of the coating composition comprises in the range of from about 10 wt % to about 80 wt % of the one or more polyurethane dispersions.
6. (previously presented). The coating composition of claim 5, wherein the weight of the coating composition comprises in the range of about 30 to about 70 wt % of the one or more polyurethane dispersions.
7. (previously presented). The coating composition of claim 1, wherein the weight of the coating composition comprises in the range of from about 0.5 wt % to about 10 wt % of the one or more photoinitiators.

8. (previously presented). The coating composition of claim 7, wherein the weight of the coating composition comprises in the range of about 0.5 to about 5 wt % of the one or more photoinitiators.
9. (previously presented). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 2 wt % to about 20 wt % of the silicone resin emulsion.
10. (previously presented). The coating composition of claim 9, wherein the weight of the coating composition comprises in the range of about 5 to about 15wt % of the silicone resin emulsion.
11. (previously presented). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 1 wt % to about 15 wt % of the reactive wax.
12. (previously presented). The coating composition of claim 11 wherein the weight of the coating composition comprises in the range of about 2 to about 10 wt % of the reactive wax.
13. (previously presented). The coating composition of claim 4, wherein the weight of the coating composition comprises in the range of from about 2 wt % to about 15 wt % of the nylon.
14. (previously presented). The coating composition of claim 13, wherein the weight of the coating composition comprises in the range of about 2 to about 10 wt % of the nylon.
15. (previously presented). The coating composition of claim 4 wherein the silicone resin emulsion is a high molecular weight silicone resin emulsion.
16. (previously presented). The coating composition of claim 15 wherein the high molecular weight silicone resin emulsion has a molecular weight in the range from about 1000 to about 700,000.
17. (previously presented). The coating composition of claim 15 wherein the high molecular weight silicone resin is polydimethoxysiloxane.

18. (previously presented). The coating composition of claim 1, wherein the one or more polyurethane dispersions have a minimal film formation temperature in the range of about 0°C to about 25°C.
19. (previously presented). The coating composition of claim 1, wherein the one or more polyurethane dispersions have an elongation greater than about 300%.
20. (previously presented). The coating composition of claim 1, wherein the one or more polyurethane dispersions have a König Hardness in the range of about 25 seconds to about 100 seconds.
21. (previously presented). An article coated with the coating composition of claim 1 and cured with ultraviolet light to form a coated article.
22. (original). The article of claim 21, wherein the article comprises a weatherstrip, windshield wiper or automotive seal.
23. (currently amended). An ~~appearance~~ coating for an outer belt comprising a the coating obtained by curing the composition of claim 1 by exposure to ultraviolet light.